



NEW ENGLAND
— TRADERS —

New England Traders

Authorized Distributor of RAAH

SAFETY

USA | Canada



Slide Sledge
MULTI-HEAD HAMMER

SAFE STIX

MORSE
WIRE

SwiLa
Softtech LLP

HOSE-SAFETY

cengar

STEEFY
TIGHTENING TOOL

Fingersaver
Safety for Your Fingers

GEARENCH

DIFFHOSE HANDLING SYSTEMS LTD

Raychem RPG

KENCO

EGA Master
ART IN INNOVATION

CATU
ALL PURPOSE

TOOL @ REST
THE DROP STOP SYSTEM

TOTAL
EQUIPMENT

SafeMate!
EQUIPMENT

HUWE

Website : www.newetraders.com

Email : sales@newetraders.com

01

Fast Moving

Push Pull Tool	01
Push Pull Pole Sticks	02
Pallet Safety	03

05

Operator Safety

Hands Free Safety	05
Offshore Handling System	09
Hammering Safety	11
Locks, Tags and Signs	12
Valve Safety	12
Drum Handling	13
Electrical Safety Products	14
Slip, Trip and Falls	16
Anti Drop Tool	17
Cable Safe	18
Oilfield Safety	19
Hose Restraints Safety	20
Rig Safety	21

22

Asset Safety

Ridderflex Products	22
Wire Rope and Robotic Fencing Safety	23

FAST MOVING

Specialised Safety Solution

Page : 01

Push Pull Tool

• Stiffy Push Pull Hand Tool

- The Stiffy Hand Safety Tool™ 2 HD is based on our most popular Stiffy SHT-2.
- It is simply stronger and more durable. It features a large D handle, glove sized grips, and a vulcanized rubber insert.
- Versatile V-Shaped tool head to push against flat, cornered and round surfaces
- Tool head has a rubber lining to prevent slippage
- Opposing V-hooks on the tool head designed to snag taglines
- Enhanced with carbon fibre sleeve on the neck to reinforce tool head
- Engineered "Glove sized" hand stop with gussets.
- Highly ergonomic and slip resistant grip
- Load Testing: Static pull 400 lbs. Compression 600 lbs.



• SHT2 Stiffy Push Pull Hand Tool



• SHT3 Stiffy Push Pull Hand Tool



Product Code	Description	Size
SSH-21	21" Handy Hook	21
SHT2-42	42" TYPE 2 with push-pull tool head w/handle	42
SHT2-50	50" TYPE 2 with push-pull tool head w/handle	50
SHT2-72	72" TYPE 2 with push-pull tool head w/handle	72
SHT2-42 HD	HD 42" TYPE 2 Heavy Duty Tool w/handle	42
SHT2-50 HD	50" TYPE 2 Heavy Duty Tool w/handle	50
SHT2-72 HD	72" TYPE 2 Heavy Duty Tool w/handle	72

FAST MOVING

Specialised Safety Solution

Page : 02

Push Pull Pole Sticks

• Stiffy Snare Tool

- The STIFFY SNARE TOOL features improved non-slip grips, automatic locking mechanism and super strong aluminum or stainless steel shaft.
- Aluminum and Stainless Steel Snare Poles
- Designed to save fingers, hands, & arms by avoiding pinch points & crush points allowing you to control tubular & suspended loads.

Product Code	Description	Size
SST-24	24" Aluminum Single Release Snare Tool 24"	24"
SST-36	36" Aluminum Single Release Snare Tool 36"	36"
SST-48	48" Aluminum Single Release Snare Tool 48"	48"
SST-60	60" Aluminum Single Release Snare Tool 60"	60"

Product Code	Description	Size
SSTD 36	Stiffy 36" Snare Tool Single Release Aluminum	36"
SSTD 48	RAAH Stiffy 48" Snare Tool Single Release Aluminum	48"
SSTD 60	RAAH Stiffy 48" Snare Tool Single Release Aluminum	60"

Stiffy Single Release Snare Tool



Stiffy Dual release Snare Tool



• New Snare Tool (NST)

- Innovative solution for heavy pipe catching and handling
- Designed to make your work easier and safer
- NST is ability to handle pipes of different sizes and shapes.

• Grab Tool

- Provide full control of suspended tubulars 3" - 10" in diameter.
- Promote hands-free operations.
- Ratcheting action enables the Grabit to lock as it closes around the tubular to ensure a firm grasp.
- Trigger allows for easy release.
- Compact and lightweight design makes it ergonomically friendly.
- Side handle for better ergonomics and control.
- Tethering point to prevent a dropped object.
- Safety orange color for better visibility.
- Wide curved area at top of tool for added stability when pushing.



FAST MOVING

Specialised Safety Solution

Page : 03

• Push Pull Pole Sticks

- Push / Pull Poles are designed to help facilitate 'hands-free' lifting.
- The hook end can be used at full extension (approximately 2m / 6ft) to retrieve tag lines hanging vertically without a load handler having to go too close to a suspended load.
- The rubber buffer is used to push against suspended loads.
- The poles would normally be fully retracted (for rigidity) during this type of use where their length is 1.2m / 4ft.
- Size available VM261003.



Pallet Safety

• RAAH IBC Lifter

- Designed to safely lift IBC container or palletized cargo using cranes.
- More secured method of lifting
- Assembly contains safety hooks, beams and connectors.
- Painted safety yellow finish
- Full unit tested to lift IBC container upto 2 Tons
- Comes with Load Test certificate
- Suited for the premium spaces and can be manufactured as per the specific requirements.
- WLL of 2000 kgs.



• RAAH Pallet Lifting Bars

- Provide full control of suspended tubulars 3" - 10" in diameter.
- Promote hands-free operations.
- Ratcheting action enables the GrabIt to lock as it closes around the tubular to ensure a firm grasp.
- Trigger allows for easy release.
- Compact and lightweight design makes it ergonomically friendly.
- Side handle for better ergonomics and control.
- Tethering point to prevent a dropped object.



• RAAH Pallet Cage

- For use with tote crates/pallets
- Dimensions can be customized as per customer requirements
- Top and bottom open
- Comes with Load capacity test
- Heavy duty construction
- No Side Doors needed



FAST MOVING

Specialised Safety Solution


Page : 04

Size	Safe Weight Capacity	Test load capacity	Standard Dimensions
Standard Size	2.5 Ton	3 Ton	1370mm x 1370mm x 1400mm

Pallet Safety

• RAAH Pallet Lift Assembly Kit

- Assembly with a multi leg sling or chains
- Precisely fitting hooks and components Tensile resistance
- Robust structure in the bars, sling and other components
- WWL 2 tons per pair for bars
- Compatible with crane lifting devices
- Available in customized pallet assembly kit
- PBAK014 is an add on to our PB011 Pallet lifting bars.
- *We can customize as per your requirements.



Finger Safety

• Finger Saver Hands Safety Tool

- Lightweight with strong durable outer shell
- Simple mechanism and easy to use
- Release mechanism support
- Finger like grip to the objects that require precise clutch such as bolt and nuts during hammering
- Absorbing the vibration shock from sledge hammers.
- A tool-saver creating a buffer zone to avoid impact, crush, and pinch points
- Designed in a variety of sizes including; long FingerSaver, standard FingerSaver and compact FingerSaver, the tool is "100% manufactured in the UK".



During the hammering, are fingers and hands outside the danger zone?
The FingerSaver is light yet extremely durable. Dropping it can damage neither man nor machine nor tool.

Product Code	Description	SIZE	Weight	Colour
FSE375MM	Finger Saver Small	375mm	230g	Orange
FSE850MM	Finger Saver Long	850mm	680g	Orange
FSE295MM	Finger Saver Compact	295mm	194g	Orange

Hands Free Safety

• Manual Handling Aids

LIFT ASSIST CHOKE VALVE SLING

- Rating – 50 kg WLL
- Minimum Breaking Load – 500kg
- Factor of Safety: In excess 10:1
- Webbing Belt Strap – 25mm simplex polyester webbing
- Certification: CE Marked, Safe Use Instruction Sheet

LIFT ASSIST SINGLE HANDLE

- Rating – 75 kg WLL
- Minimum Breaking Load – 750kg
- Factor of Safety: In excess 10:1
- Webbing Belt Strap – 50mm simplex x 900mm long as standard
- Certification: CE Marked, Safe Use Instruction Sheet

LIFT ASSIST DOUBLE HANDLE

- Rating – 100 kg WLL
- Minimum Breaking Load – 1000kg
- Factor of Safety: In excess 10:1
- Webbing Belt Strap – 50mm simplex x 1500mm long as standard
- Certification: CE Marked, Safe Use Instruction Sheet



Product Code	Description
RSS-C100	LIFT ASSIST CHOKE VALVE SLING – 2' CHOKE VALVE STROP
RSS-D100	LIFT ASSIST DOUBLE HANDLE – MANUAL HANDLING AID
RSS-S100	LIFT ASSIST SINGLE HANDLE – MANUAL HANDLING AID

Product Code	Colors
GasGrab™ 4" (100mm) PAIR	White Gloss
GasGrab™ 5.5" (140mm) PAIR	Navy Gloss
GasGrab™ 5" (125mm) PAIR	Yellow Gloss
GasGrab™ 7" (178mm) PAIR	Light Grey Gloss
GasGrab™ 8" (203mm) PAIR	Light Blue Gloss
GasGrab™ 8.5" (215mm) PAIR	Yellow Gloss
GasGrab™ 9" (230mm) PAIR	Green Gloss
GasGrab™ 9.25" (235mm) PAIR	Purple Gloss
GasGrab™ 10" (254mm) PAIR	Gloss Orange
GasGrab™ 10.5" (267mm) PAIR	Grey Gloss
GasGrab™ 11" (278mm) PAIR	Mint Green Gloss
GasGrab™ 12" (305mm) PAIR	Light Blue Gloss
GasGrab™ 12.5" (320mm) PAIR	Beige Gloss
GasGrab™ 14.75" (375mm) PAIR	Red Gloss

• Gas grab

- Designed to lift and move heavy cylinders of various gasses and liquids
- Allows comfortable and safe handling of cylinders
- Rigid and secure clamp to avoid mid-operation complications
- Constructed for single worker use as well as two men handling for having High-pressure cylinder grabbing
- Models to suit cylinders from 4" (100mm) to 14.75" (376mm)
- Every piece is tested for safety before dispersion and comes with a test certificate
- Comes with a rotation handle and marking for upward facing side- hence correct initial installment
- Lightweight and easy to install, use and detach
- Ergonomic by providing a buffer zone with hands as well as weight distribution to avoid neck, back and abdominal injuries



Hands Free Safety

• Hands Free Bolting

- Increased operator safety
- Featuring anti tool drop construction
- Keeping the tool in place throughout the placing operation.
- Economic and safe solution
- Provides hands free bolting operation
- Attachable to tethers and lanyards
- Comes with stud sizes between M12 and M76 as well as 1/2" to 2 3/4"
- Available in different models with hex sizes from 27 mm up to 120 mm A/F
- Available in customized color and branding



• TwistIt/ Rackit

- Designed with lightweight aluminum material
- Comes with plastic tong handles
- Heavy duty and durable
- Operated by a single motion
- Applied usage with twist on/twist off action
- Size; 4.5" outer diameter
- Keeps hands and fingers safe with a buffer zone

• Anti Tangle Tagline

- Made from Synthetic Rope, SK 75 12 mm with 6 mm core (18 mm) offering significant power yet light in weight
- Weaved over braided cover to avoid scratch
- High visibility yellow outer braid
- Dirt repellent cover is washable
- Tangle resistant
- Designed not to catch on pinch points
- We supply OHS 15", 25", 35" and 45" feet
- Can live longer than PP, Manila and other fiber ropes by several times



• Sling Stik

- Robust, long-lasting, and user friendly
- Comes in 60 inches long
- Light weight (3.5 lbs)
- Mitigates risks against pinch points and suspended load fall zones
- Laser cut & galvanized steel hook attachments
- More attachments are available including 1 inch, 1.25 inch, and Talon dual hook
- Compatible with the Talon dual hook attachment
- Ergonomic with great grip
- Available in high visibility green/yellow
- Made in the U.S.A.



Operator Safety

Specialised Safety Solution

Page : 07

Hands Free Safety

• Talon

- Robust construction
- Ergonomic and user friendly
- 14 inches long
- Lightweight (2 lbs)
- Hands safety tool
- Laser-cut design
- Made with galvanized steel dual hooks
- Comes with D-Handle grip
- Effortless one bolt assemblage
- Various hook attachments are available
- Made in the U.S.A.



• Rodlifter

- Durable and resistant to heavy weights, extreme temperature.
- Easy application and handling
- Reliable and cost effective
- Easy and effective grip mechanism
- 100% manufactured in Australia



• Grappler Hands-Free tool

- Adaptable, long-lasting, and user friendly
- Lightweight and robust
- Offers hands free safety tool
- Comes in 3 sizes (18 in, 26 in, & 34 in)
- Mitigates pinch, crush and cut points
- Designed with hard-and-fast laser cut 5052 hook
- Works with both round and square materials
- Comfortable dura foam grip
- Zero assemblies needed
- Made in the U.S.A.



• Safe T Stiks

- Designed with UV-resistant and corrosion free material
- Rubber handle grips for slip free handling
- Adjustable rotating handle
- Up to 400 LBS of attraction force
- Dual Action Swivel for effective positioning
- Painted with corrosion free and visible orange tint
- Built in U.S. patent
- Use to safely unload the heavy steel plates, Metal structure, beams, Rods & Pipes / Helps to lift or pull water valves cover, Trench plates, Gratings
- Easy, Durable, UV and corrosive resistant.
- The Robust "T" Handle has a very unique ability to twist and lock in 90 degree intervals.
- Super grip magnet produces 400 lbs of grip force and is protected in a steel casing.



Available Sizes:

- SAFE-T-STIK STS001
- SAFE-T-STIK XL (Extendable) STS002
- SAFE-T-STIK MINI (T-Handle Vertical Lift/Pull) STS003
- SAFE-T-STIK MINI (D-Handle Vertical Lift/Pull) STS003DH
- SAFE-T-STIK SR (T-Handle Short Reach) STS005
- SAFE-T-STIK SR (D-Handle Short Reach) STS005DH

Hands Free Safety

• Magnetic Manual Lifting

- On-Off Magnetic clamp button
- Rechargeable 4 volt battery available in cordless variety
- Quick release magnets when off
- Recommended weight lift 60 lb. 27 kg
- Breakaway force at 200 lb. (90 kg)
- Pipe groove attachment for round objects such as pipes and cylinders
- Hands Free safety for objects with sharp edges, chemical or bio agent contamination or exposure to extreme temperature
- Used as sheet stacking manual lifter



• Magna Grab

- Strong and long lasting with easy functionality
- Lightweight and compact
- Hands free use near pinch and crush points
- Aluminum manufacturing precision
- Over 500 LBS of magnetic pull force!
- Easy to attachment and removal
- Used as a portable tagline magnetic anchor point
- Facilitating long reach with magnetic retrieval action
- No-touch multi use magnetic tool
- Adaptable to tag lines with different lengths both fixed and adjustable
- Easy fitting into small tool boxes
- Affordable and budget friendly
- Made in the U.S.A.



Mfr Part Number	Description
MG001	Magna-Grab Portable Magnetic Tag Line/Tether Anchor Point
TL25SH	Tag Line, 25" w/Snap Hook
TL50SH	Tag Line, 50" w/Snap Hook
TL75SH	Tag Line, 75" w/Snap Hook
MAGKIT	Replacement Magnet Kit (Pack of 2)

Offshore Handling Systems

• Drill Pipe Set Back Tool

- Hook for tag line retrieving
- Available in 1200mm and 1500mm lengths
- Comes in hi-visibility color
- Crafted from lightweight and robust aluminum staff
- Designed with rubber coating for non slip grip
- Attachment for push and pull function
- Pipe diameter up to 5" inches
- Provides great leverage
- Durable Rubber-grips, Nonslip.
- Shoulder attachment at the rear for extra leverage to position pipe in vertical position.
- Ergonomic and excellent performance



• PRO Pipe Gripper Tool

- Handling pipes of 4" to 13" diameters
- Fast lock and quick release buckle
- 2000kg rated webbing
- Available length; 1200mm and 1500mm
- Lightweight and durable aluminum staff
- Tagline retrieval features
- Comes in hi-visibility color
- Enclosed or open hand grip with rubber coating
- Non slip grip



• Hands Free Tools Storage Station

- Made from Medium Density polyethylene (MDPE)
- Includes mounting clips and 12 mm mounting bolts
- Compact design
- Used as onshore and offshore tools station of up to 10 tools
- Comes with Over Canopy and a place for audit check sheet
- Customized models are available



• PRO Pipe Handling Tool

- Handling pipe up to 10 inches in diameter
- Tag line retrieval capabilities
- Lightweight and durable
- Made for harsh environments
- Push/pull capabilities
- Offering outstanding leverage
- Industrial grade aluminum staff
- Available staff lengths; 1300mm, 1500mm
- Comes in hi-visibility color



Offshore Handling Systems

• Drill Pipe Handling Tool

- Multifunctional double U shaped attachment
- Handling pipes up to 50 inches
- Used to maneuver pipes both in vertical or horizontal position
- Easy exchange from a push & pull function
- Excellent support and control
- Tag line retrieval mechanism
- Available lengths; 1200mm, 1500mm
- Enhanced with safe hi-visibility color
- Constructed with industrial grade aluminum shaft
- Available with enclosed hand grip or non-slip rubber hand grip models.
- Fitted with replaceable rubber coatings



• Drill Pipe Connection Guide Tool

- Resistant to chemical exposure such as drilling liquid
- Resistant to extreme temperatures
- Comes with extra strong rubber
- Study handle
- Ergonomic
- Categorized under personal protection equipment
- Drill pipe dimensions: 2 3/8" to 5 7/8" Drill Pipe Diameters
- Color: high visible safety orange
- Fitted with wrist lanyards to reduce any risk of dropping



• Grating Lifter

- 8mm steel tool attachment
- No requirement to move mechanical parts
- Available 1200mm long shaft
- Comes in hi-visibility color
- Shaft made with robust aluminum
- Excellent quality rubber coated grip
- Comes with hand protector
- Ergonomic construction



• Pipe Wipe Pro

- Available models; PWPR1200 - 1200mm & PWPR1500 - 1500mm
- Available Color; Black with hi-vis linings
- Material: Durable Nitrile
- Comes with Circular Cross Section
- Hardness grade; Shore A 70
- Handling a temperature range of (°C) -20 to +80
- Offering a tensile strength of 12 MPa
- Compression 25%



Hammering Safety

• Slide Sledge Hammers

- Increases profitability
- Simplifies field maintenance / repairs
- Promotes a safer work environment
- Adapts to numerous applications
- Delivers powerful & precise impact



• Huwe Hammer Union Wrench

- Made from heat-treated and water-tempered steel
- Comes with a test certificate
- Union diameter of the heads available from 2" to 6"
- Removable handles available in four different sizes
- Economic prices
- Easy to use
- Rugged and durable structure
- Comes with users' manual



• Egamaster Total Safety Slogging Wrench

- Made from innovative steel alloy
- Versatile v-shaped push sticks are used to push against flat, cornered, and round surfaces.
- Extreme lightweight, Electrically insulated, and strong.
- Easy to use Push against round and flat materials.
- Extended carbon sleeve & solid fiberglass liner increases the strength of the tool.
- The tool head has a rubber lining to prevent slippage
- Opposing V-hooks on the tool head designed to snag taglines
- This push sticks for lifting operations is enhanced with carbon fiber sleeve on the neck to reinforce tool head
- Engineered "Glove sized" hand stop with gussets. Highly ergonomic and slip-resistant grip
- Choose from materials such as Rubber, Plastic, or Aluminum push pole
- Visible orange color for taking clear actions. The tool is oil, weather, and chemical resistant.
- Includes Ergonomic Hand Guard for protecting hands, fingers, and arms. It highlights a dedicated tethering point for use while operating at height.



Locks, Tags & Signs

• Padlock

- Allow workers to control and protect their people and equipment from accidents and injury.
- Our padlocks are available in a variety of sizes, colors, materials, numbers, and lettering- to choose from depending on their application.



• Key & Padlock Cabinets

- Premium durability with powder coated finish.
- Colour coded hook
- Can be configured with self-adhesive numbered strips
- Colour-coded key tags
- Deep cabinet to store different size padlocks and keys
- Pre-drilled holes for easy wall mounting.



Valve Safety

• Car Seals

- Our car seals are made from durable aluminium body of the lock and coated by a protective anodized colour in glayer in different colors.
- Designed with a multi-strand weaving for a reliable and corrosion free seal is especially important in high humidity and moist environments such as marine decks.
- 2.5 mm car seals in diameter are known to be the best applicable sizing.
- The general length of our universal cable lockout is 1000 mm. Although they are available in customized varieties as well.
- Red and green are our original cable lockout colors, although customizable colors are available according to your workplace demands.
- You can order your car seals with us, for identification coding with numbers, alphabet and colors, in addition to plastic lock seals tags and markings.



Operator Safety

Specialised Safety Solution

Page : 13

Drum Handling

• Morse 86 Drum Lifter

- Made of carbon stainless steel painted blue, the corrosion free material in case of chemical exposure and extreme temperatures
- Caters a range of barrel lifting sizes, in particular; 22" to 23.5" (55.9 cm to 59.7 cm) in diameter, 23" to 38" (58.4 cm to 96.5 cm) tall
- Handles up to 1000 IBS or 450 Kg. 56 Lb. (25.4 kg), L28" x W19" x H30" (71 x 48 x 76 cm)
- Used in Docks and Mezzainnes, Oil rigs and marine applications, Construction Sites etc.
- 100% manufactured in USA

Model	Description	Capacity	Domestic Ship Weight	Domestic Ship Dimensions
86	Drum lifter with web strap around drum	1000 lb (454 Kg)	56 lb (25.4 Kg)	L28" x W19" x H30" (71 x 48 x 76 cm)
86 - SS	Stainless Steel Drum Lifter with web strap around drum	1000 lb (454 Kg)	56 lb (25.4 Kg)	L28" x W19" x H30" (71 x 48 x 76 cm)

• Morchinch Drum Handling System

- Sidewall protection
- Compatible with variety of barrel material
- Easy installment and removal
- Secure grip with a bolt attachment to drum holder
- Available in steel, spark-resistant and standard

• Drum Dollies

- Used for barrels, drums and other heavy appliances
- Easy and effective movability
- Casters built of Polycarbonate Plastic
- Capacity up to 1,000-pound / 0.5 Ton
- From 15 gallon drum dolly options to 55-gallon drum
- Drum Dollies with 3" (7.6 cm) MORTuf polyolefin swivel casters.
- Capacity: 1000 Lb. (454 kg)
- 14 Series Round Drum Dollies Move a drum on dolly with wide stance base.Fits up to 23" (58.4 cm) O.D.

• Morse Hand Truck

- Hand trucks are pieces of equipment that move heavy items.
- Wide wheelbase, which means it doesn't need to be maneuvered over high obstacles like a pallet jack or fork truck.
- Hand trucks are also a good option for small and mid-sized items because they can be stacked and moved at the same time

• Fork Mount Drum Handler

- Single or Double Drum handling
- Fully automatic without manual drum rotator requirement
- Handles transportation over rough or flat ground
- Zinc plated twist screws for safe attachment to truck
- Fork size reaching up to 125 x 50mm at 620mm centres
- 12V DC Battery
- A complete 180o to facilitate pouring
- Tilting in diverse directions



Electrical Safety Products

Life Saving Kits

- Insulated Electrical Safety Rescue Hook
- Voltage Detector
- High-Leverage Cable Cutter
- Electrical Insulating Gloves and Boots
- Warning Signals
- Adhesive tape
- Talcum Powder
- Instructions in English
- Wall Mounting cabinet



CATU Order Code	Products Description	Maximum Voltage	Physical Dimensions	Weight
CZ-53-R	Portable Life Saving Kit English Instructions	25kV	710mm x 510mm x 240mm	21kg
CZ-53-MR	Portable Life Saving Kit English / Arabic Instructions	25kV	710mm x 510mm x 240mm	21kg
CZ-53-R/2	Portable Life Saving Kit English Instructions	36kV	710mm x 510mm x 240mm	21kg
CZ-53-MR/2	Portable Life Saving Kit English / Arabic Instructions	36kV	710mm x 510mm x 240mm	21kg
CZ-54-RM	Wall Mounted Life Saving Kit English / Arabic Instructions	24kV	840mm x 754mm x 270mm	21kg
CZ-55-R	Wall Mounted Life Saving Kit English Instructions	36kV	840mm x 754mm x 270mm	21kg
CZ-55-RM	Wall Mounted Life Saving Kit English / Arabic Instructions	36kV	840mm x 754mm x 270mm	21kg

Kit Arc Flash Kit

- Dealing in Catu UK Electrical Safety products:
 1. Insulating Gloves for Arc Flash Protection CG-11
 2. NOMEX III Undergloves
 3. Arc Flash Gloves CG-65-CAL
 4. High-Visibility Arc Flash Parka M-882082
 5. Arc Flash Face Shield Kit (10 cal/cm²)
 6. Arc Flash Jackets and Protective Coverall Kits



Electrical Gloves

- Comfortable for long hours of usage
- Design dexterity
- Made from natural rubber
- Puncture, cut and abrasion resistant, (although over gloves are recommended)
- Available in cuffed and straight edges at the bottom
- Compliance with EN 60903:2003, IEC 60903:2014 and CE category III

Product Code	Class	Length(cm)	Category	Sizes	Packaging Colour
EM-AY	00	30	AC	B-9-10-11-12	Beige
EM-EX		30	AC	B-9-10-11-12	Red
EM-CXY	1	30	AC	B-9-10-11-12	White
EM-DXY	2	30	AC	B-9-10-11-12	Yellow
EM-FXY	2	30	AC	B-9-10-11-12	Green
EM-FXY	3	41	AC	B-9-10-11-12	Orange

Product Code	Class	Length(cm)	Sizes	Colour
ESOLV	Class 00 & 0	310	B-9-10-11-12	Beige
ESOMV	Class 1	310	B-9-10-11-12	Beige
ESOMV	Class 2 & 3	310	B-9-10-11-12	Beige

Electrical Safety Products

Electrical Mats

- Made from insulating rubber
- Resistant to acid exposure, UV, oil spills, high and low temperatures
- Boasting hydrophobic and fire retardant characteristics
- Anti-skid patterns on the top and bottom surfaces
- Durable and puncture resistant
- Voltage applications availability of 415V to 36kV
- Compliance with ASTM D 178 standards
- Thickness, ranging from 2 to 7 mm
- 10 meters length
- Easily washable with mild detergent



Classification	Working Voltage	Proof Voltage	Withstand Voltage
Class0	1000 V AC	5000 V AC	10000 V AC
Class1	7500 V AC	10000 V AC	20000 V AC
Class2	17000 V AC	20000 V AC	30000 V AC
Class3	29500 V AC	30000 V AC	40000 V AC
Class4	36000 V AC	40000 V AC	50000 V AC

Electrical Boots

- Seamless wear and comfortable
- Fully waterproof
- Slip and fall resistant
- Compliance with international standards
- Heat and cold insulated
- Ergonomic



Latex Gloves

Product Code	Class	Length(cm)	Category	Sizes	Packaging Colour
KL-AXY	00	28/36	A2C	8-9-10-11-12	Beige
KL-BXY		28/36	A2C	8-9-10-11-12	Red
KL-CXY	1	36/41	RC	8-9-10-11-12	White
KL-DXY	2	36/41	RC	8-9-10-11-12	Yellow
KL-EXY	2	36/41	RC	8-9-10-11-12	Green
KL-FXY	4	41	RC	8-9-10-11-12	Orange

Personal Voltage Detector

- Adjustable Sensitivity.
- Self Testing Features
- Re-chargeability and Long Usability Period
- Ergonomic Use
- Industrial-Grade Durability



Arc Flash Clothing Protection

The Arc Flash Clothing Protection includes an inner layer topped with insulating clothing pieces that are worn on the outside, such as jackets, sweatshirts, pants, softshells and whole body coveralls as well as other accessories like helmets and boots.

Arc Flash Clothing includes several pieces that are worn singularly, or combined according to the safety assessment of a workplace.

- Polo Shirts
- Coveralls
- Trousers
- Jackets
- Helmets
- Insulating Gloves



Slip, Trip and Falls


• Cable Guardrail Systems

- Made from Nylon (PA) thermoplastic polymer
- Robust structure and durable
- Sizing 245 mm long x 75 mm wide x 10 mm thick
- Can perform with up to 5 standard 110v or 240v cables up to 11 mm in diameter
- Easy cable loading and locking mechanism
- Easy wall and guard rail mounting with screws or cable ties
- Comes with hinged lid for changing cables effortlessly
- Innovative connection system by using a male-female allowing Cable Guards to any length
- Inbuilt carry handles



• Glowmate

- Glowing for over 8 hours in dark
- High visibility
- Available in standard and custom sizes
- Compatible with different floorings including Steel, Concrete and Timber
- Manufactured under ISO 9001-2008
- Compliant with AS/NZS 4586-2004 & ASTM D2047-04 standards
- Come with a 5-year Warranty



• Drop Object Prevention

- Guard panel size 85 cm x 99.5 cm
- Possibility of permanent and semi paramount installation
- UV and corrosive chemical resistant
- Flame retardant and non conductive to temperature
- Durable and resistant against impact
- Lightweight profile for easy installation
- Requires zero maintenance
- Affordable



• Heskins Anti Slip Surface

- Durable grit surface and adhesive sides
- Offering high friction
- Resilient against chemical, water, oil and impact exposures
- Designed with aluminum oxide for a statically charged grit surface
- Compatible to almost any surface
- Lasts up to 3 years when installed correctly
- Available in a variety of size and shapes with a max width 1168mm & max length 100m
- Made in the United Kingdom



• Safeplate

- Decrease slipping incidents by increasing step traction
- Safeguarding passages, steps, entrances and doorways exit anti slip
- Decreasing the skidding distance in case of fall
- Easy repair to compare to normal flooring.
- Easy installation and cleaning
- Slip free during exposure to oil, lubricant and water spillage



Slip, Trip and Falls

• Pedestrian Pipe and hose ramps

- Chemicals and corrosion resistance
- Each edition is tested and certified before shipping
- Available in yellow and black striped safety color
- Water and chemical absorption for easy drying
- Resistant to a wide range of temperature change; - 35 °C to +95 °C
- Customized sizing and colors available on demand
- Available in pre-made standard sizes, and also custom made editions which you can choose according to your workplace's demands.
- The single sizing includes 25mm, 50 mm, 100 mm, 150 mm and 200 mm. Double pipe bridges are twice wider.
- For further physical description, there are 5 standard sizes available. The single pipe bridges weigh from 2 kg in the smallest, rising up to a maximum of 13 kg in the largest. The double pipe bridges are slightly heavier, arraying from 2.5 kg to 19 kg gradually.



• Pipe Walking AntiSlip Mats

- Standard variety is available in highly visible yellow color with black edges.
- Standard pipe and cable covers are sized in 20, 24, 36, 48 inches, in width.
- You can order these Pipe Mat Rolls according to your custom requirements.
- The top layer of our pipe mats is made with 1/8 in Pultruded Fiberglass (FRP) while the side in contact with pipes and tubular is made from non-conductive rubber insulation material.
- Industrial Aluminum made pipe mats options are also available for non-conductive environments.



• Eurogate FRP Products

- Providing anti-slip surfaces
- Resistant to corrosion, impact and chemical exposure
- Lightweight and can be installed by a single operator
- Designed with high visibility for an enhance safety
- Easy to maintain and clean
- Provides a safe coverage for electrical lines and charged surfaces
- Available in customized sizes and colours
- Affordable yet secure solution for workplace safety



Anti Drop Tools

• GripPs Tool

- Innovative solutions
- Drilling sites off-shore and on-shore
- Construction and maintenance of large buildings
- Energy production industries
- Urban mural art and maintenance



Anti Drop Tools

• Egamaster Tools

- Constructed with high-quality standards
- Crafted with premium quality material
- Durable and heavy-duty
- Designed to handle a variety of applications
- Standard designs
- Comes with certified rated load markings
- Offers ergonomic features and design safety



Cable Safe

• Cable Hooks

- A puncture free solution for cables and wires
- Crafted from plastic and glass reinforced polyester
- UV resistant and flame retardant
- Handling extreme temperatures
- Safeguarding the personnel from slip and fall accidents
- Available with customizable engravings
- Color codes include, black, yellow, glow in dark, and customized
- Compliant with Standard Wiring Regulations



	6"	9"	12"	15"
Size Cable Opening (Top)	1.1" = 2.7 cm	1.5" = 3.9 cm	2.1" = 5.4 cm	2.5" = 6.4 cm
Size Cable Opening (Bottom)	1.6" = 4.0 cm	2.6" = 6.6 cm	3.5" = 8.9 cm	4.5" = 11.4 cm
Maximum Load	40 kg - 88 lbs	55 kg - 121 lbs	190 kg - 418 lbs	265 kg - 584 lbs
Weight	40 gram - 0.06 lbs	103 gram - 0.23 lbs	292 gram - 0.64 lbs	265 kg - 584 lbs
Material	Glass reinforced polystar - injection molded product			518 gram - 1.14 lbs
Standard Color	Yellow, glow in the dark			
UV	Stabilized, guarantee 10 years - under normal usage conditions			
Flame Retardant	Flame Retardant, UL Recognized, 94V - 0 Flame Class Rating (3)			
Cold Fatigue	Protection in cold weather environment			

Oilfield Safety

• Gearenych

- **Gearenych** wrench manufacturer, guaranteeing both reliability and long life cycle.

Code	Product Name	Code	Product Name
RW1	PETOL REFINERY WRENCH	RWH1	HANDLE, PETOL REFINERY WRENCH
RW1AL	PETOL ALUM. REFINERY WRENCH	RWH1AL	HANDLE, PETOL ALUM. REF. WR.
RW1SG	PETOL REFINERY WRENCH	RWH1SG	HANDLE, PETOL REFINERY WRENCH
RW2	PETOL REFINERY WRENCH	RWH2	HANDLE, PETOL REFINERY WRENCH
RW2AL	PETOL ALUM. REFINERY WRENCH	RWH2AL	HANDLE, PETOL ALUM. REF. WR.
RW2SG	PETOL REFINERY WRENCH	RWH2SG	HANDLE, PETOL REFINERY WRENCH

• Non-Sparking Tools

- Designed with premium quality Anti-Static Tools
- Safe to use when exposed to flammable gasses.
- Mitigates fire and explosion risks in live atmospheres and flammable hazard zones.
- Available in a non-sparking option include hammers, axes, pry bars, chisels, utility knives, mallets, pliers, etc.



• Petol Hammertight Wrench Retainer

- Available in individual wrench purchases and sets
- Metric and imperial size markings
- Powder coated spring and retaining plate
- Stud sizes ranging from 5/8" - 2-1/2" (Standard) Or 16mm-64mm
- Wrench holder sizes ranging from 1 -1/4" to 3-7/8"
- Available Nut Sizes ranging from 24mm - 95mm
- Durable construction
- Designed with swivel tie-off ring for anti-tool drop protection
- Premium lathed barrel for enhanced spring function
- Matches both sizes of 6 - pt and 12 - pt sockets



• Flange Aligning Tools

- Pin sizes range from 3/8" to 3-5 / 8".
- Cost effective alignment solutions.
- Durable and resistant to rust, impact and wear.
- Comes with manufacturer certifications.



Hose Restraints Safety

• Whip Stops

- Made from galvanized steel alloy or stainless steel
- Braided construction
- Durable
- Versatile application
- Available in different pressure ratings and sizes
- Featuring dual leg whip stops



• Whipchek

- Resilient to high amount of pressure
- Robust design
- Availability range from 1/8" X 20" up to 3/8" X 44" cable
- Hose sizes compatibility ranging from 1/2" I.D to 4" I.D
- Comes with diverse PSI rating
- Extremely abrasion resistance



• Cable and Nylon Hose Chokers

- Available in a variety of sizes for perfect fitting
- Sturdy design and resistant to abrasion
- Easy to install mechanism
- Factory tagging with their fluid and gas (air) ratings
- Adjustable configuration for diverse application
- Available hose ID size ranging from 0.25" up to 12" inch
- Available in both standard and customized varieties



• Red Iron Sling

- Available in three lengths, including 4 ft, 10 ft, and 20 ft.
- Manufactured to ASME B30.9 safety standards
- Tested and certified for high pressure pipe safety
- Secured with half hitched shackle and seal system
- Easy to install, remove and maintain
- Slings are marked with Pipe Size and PSI Ratings
- Available in customized length, colour and pressure rating
- Maintenance of the Red Sling Irons



• Hose Hobbles

- Minimum breaking strength of 16,000 pounds
- Compliance with API standards
- Available in different size
- Certified, tagged and pull tested.
- Powder coated for resistance against rust, sea water, and chemicals.
- Comes with assembled w/ bolts.
- Clamp types include; Single Bolt, Double Bolt, or 4-Bolt Clamps
- Customizable for color, tagging, etc.



Type	Description	Weight (lbs)	Hose Clamp I.D.
A	2 1/2" most types 2-1/2" I.D. hose	14	4-3/4"
A	2 1/2" most types 3" I.D. hose	14	5-1/2"
A	2 1/2" most types 3-1/2" I.D. hose	14	6-3/4"
A	For 2" Pipe	14	5-3/16"
B	4-1/2" O.D. shrapnel	16	4-3/4"
B	4-1/2" O.D. shrapnel	16	5-1/2"
B	4-1/2" O.D. shrapnel	16.5	6-3/4"
B	5-3/16" O.D. shrapnel	16.5	4-3/4"
B	5-3/16" O.D. shrapnel	16.5	5-1/2"
B	5-3/16" O.D. shrapnel	16	6-3/4"
B	5-5/8" O.D. shrapnel	16	4-3/4"
B	5-5/8" O.D. shrapnel	16	5-1/2"
B	5-5/8" O.D. shrapnel	16.5	6-3/4"

Rig Safety

• Titan Reversible Chain Tongs

- Material: forged steel alloy
- Handle Type: Steel I-Beam
- Pipe Size: 1/4" - 2-1/2"
- Handle length: 12 inches / 300 mm
- Tong Length: 27" to 67"
- Chain Tensile Strength from 13,800 lbs, 31,000 lbs



• Tubing Elevator and Tools

- Alloy steel and heat-treated for maximum strength and durability.
- Each elevator is manufactured and tested to API 8C.
- All TITAN Tubing Elevators are equipped with a double locking retainer assembly for maximum safety.

Catalog No	Tubing Size	Weight (lbs)
TEA025-238N	2-3/8" Non-Uppet	5.2 lbs.
TEA025-238U	2-3/8" Reversed-Uppet	5.2 lbs.
TEA025-270N	2-7/8" Non-Uppet	9.2 lbs.
TEA025-270U	2-7/8" Reversed-Uppet	9.2 lbs.
TEA000-220N	2-1/2" Non-Uppet	10 lbs.
TEA000-220U	2-1/2" Reversed-Uppet	10 lbs.
TEA000-270N	2-7/8" Non-Uppet	14 lbs.
TEA000-270U	2-7/8" Reversed-Uppet	14 lbs.
TEA000-312N	3-1/2" Non-Uppet	12 lbs.
TEA000-312U	3-1/2" Reversed-Uppet	12 lbs.


• Titan Flange Lifter

- In compliance with ASME Specifications B30.20 and BTH-1
- Die stamped with load rating and serial number
- Powder-coated finish
- Fits Bolt Size ranging from 3/4" - 1-1/2" to 1-1/2" - 2-1/2"
- Fits Flange Thickness ranging from 1/2" - 3 3/4" and 1/2" - 7"
- Load capacity rating 1000 lbs. to 2000 lbs.
- Interchangeable gaskets and brackets 1/2" - 3-3/4" to 1/2" - 7"
- Available in 2 models



• Spinning Wrench

- Size Range : 2-7/8" to 9-1/2" O.D. Drill Pipe/ Drill Collar
- Normal Operating Pressure : 2,000 PSI
- Torque (5" dia. Pipe) : 900 - 1000 ft. - lbs.
- Speed (5" dia. Pipe) : 100 rpm
- Weight : 850 pounds
- Hydraulic Power Requirement : 29 - 45 GPM



• GRIPPS - GapWrap

- Fire Resistant
 - Re-usable and adjustable
 - Velcro closures and eyelets for added security
 - Coated Poly PVC meshing
 - Red PVC edge binding for strength and visual warning
- Sizes : Gap Wrap 12" | Gap Wrap 24" | Gap Wrap 36"



• Rig Wrenches

- Used to tighten pipes on higher pressure oil rigs.
- Engineered in the USA
- Perfect solution for breaking, tightening, or moving pipe and casing.



Ridderflex Products

• Ridderflex Offshore and Marine Fenders

- High Abrasion Resistance
- Robust Design
- Load-Deflection Response
- Additional Support Accessories



• Ridderflex Polyurethane Bearing Pad

- Redundant properties with steel reinforcements
- Available in different hardnesses and colours
- Ground level ozone and UV resistance
- Wear and aging resistance
- Withstands constant seawater exposure
- Provides pressure levelling properties
- Offer dimensional stability
- Handles extreme temperatures
- Can manage low or high compression
- Resilient against exposure to corrosive chemicals
- Available in standard and custom-built dimensions
- Compressibility Factor test is available



• Ridderflex Stinger Rolls

- Precision while in service
- Exceptional tensile force
- Abrasion resistance (great for concrete coated pipes)
- High capacity in load bearing
- Wear resistant and sustainability
- Supports extreme temperatures
- Impeccable resistance to ozone and UV exposure
- Durability and robust structure
- Resistance to seawater for a long life cycle in marine industries
- Withstanding any exposure to oilfield minerals and solvents



• Ridderflex Tensioner Pad Lining (V Shaped)

- Providing safe grip and dynamic tension on the pipes
- Protecting outer layer of pipes and cables
- Made from sustainable material
- Providing counterbalance to the crane's force
- Damage free handling of pipe-laying procedures
- Can be used both on seabed or on-land
- No requirement for guide roller during the installation and recovering cables
- Possibility of replacing individual tracks if damaged
- Contributing to environmental safety



Asset Safety

Specialised Safety Solution

Page : 23

Ridderflex Products

- **Ridderflex crossovers**

- Available in different thickness
- Made with premium polyurethane layer for additional protection
- Comes with a variety of hardness degrees
- Customizable for colors, size, and other technical features
- Durable & wear-resistant
- Resilient against Ozone and UV
- Enhanced with polyurethane protective coatings
- Resistance to wear
- Corrosion free; in contact with seawater, mineral oils, gasoline, and other chemicals.



Wire Rope and Robotic Fencing Safety

- **Masto**

- Compatible with dry and wet materials
- Prolonging the lifespan of a wire rope
- Improves functionality
- Reduces maintenance costs
- Easy to use
- Penetrates to the core of the wire
- Lubricate steel ropes, galvanized variety or other materials



- **Fencing Safety**

- Our Machinery Fencing Systems protect the people around machinery to make your working environment safe.
- Bespoke Fencing Solutions with quick and easy self - assembly
- Highest quality and Safety measures
- Certified for Industrial Robot Fencing use.
- ISO 14120 Certified.





We Are In

Address

USA

NEW ENGLAND TRADERS LLC

5613 Olde Hartiey Way,
Glen Allen, VA 23060

Visit Our Website

Website : www.newetraders.com

Email us : sales@newetraders.com